

C'

INDEX MAPS.

T. 23N, R. 3W. 2nd Mer.

	6	5	5	5	4	4						
7	6	28	5	23	4	19	3	15	2	11	1	4
	28		27		22		18		14		11	
7	7	27	8	22	9	18	10	14	11	10	12	3
	27		26		22		18		14		10	
7	18	26	17	21	16	17	15	13	14	10	13	3
	25		25		21		17		13		9	
6	19	25	20	20	21	16	22	13	23	9	24	3
	25		24		20		16		13		9	
6	30	24	29	20	28	16	27	12	26	8	25	3
	24		23		19		15		12		8	
6	31	23	32	19	33	15	34	12	35	8	36	2
	2		2		1		1		1		1	

T. 24N, R. 3W. 2nd Mer.

	36	36	35	35	34	34						
38	6	60	5	60	4	57	3	58	2	61	1	34
	60		59		56		57		45		42	
38	7	59	8	56	9	57	10	45	11	41	12	34
	59		58		55		48		44		41	
37	18		17		16		15		14		13	33
			51		50		47		44		40	
37	19		20		21		22		23		24	33
			53		52		47		43		39	
37	30		29		28		27		26		25	33
			52		49		46		42		39	
37	31		32		33		34		35		36	32
			51		49		46		42		38	
	32		32		31		31		31		31	

Meanders 53, 62

The figures on the lines refer to the page.

31

Township N. 24 North, Range N. 3 West S. Mer. Ind.^a

Township Series.

Chas. M. South Boundary. Var. 6⁺ 10' E.

West on the S. Boundary of Sec. 36

December 3, 1819

40.00 set of sec. part from which

a Beech 14 in. diameter N 26 E 9 1/2 lbs. dist. 3

a Ash 12 " " " S 62 W 13 " "

80.00 set part cor. of sec. 35 & 36 from which

a W. Ash 14 in. diameter S 44 E 24 lbs. dist. 3

a B. Ash 12 " " " West 7 " "

Land level 2^d rate, part wet

West on the S. Boundary of Sec. 35

40.00 set of sec. part from which

a Sycamore 11 in. diameter S 52 E 22 lbs. dist. 3

a W. Oak 8 " " " N 18 E 7 " "

80.00 set part cor. of sec. 34 & 35 from which

a Hickory 18 in. diameter N 71 E 13 lbs. dist. 3

a S. Oak 30 " " " S 40 W 33 " "

Land level 2^d rate, timber Beech, Ash, Oak,
Hickory, Sugar, Sycam. Part good farming land,
part too wet

West on the S. Boundary of Sec. 34

40.00 set of sec. part from which

a Sycam 8 in. diameter S 65 E 7 lbs. dist. 3

a W. Ash 9 " " " N 68 W 24 " "

80.00 set part cor. of sec. 33 & 34 from which

an Elm 10 in. diameter N 89 E 59 lbs. dist. 3

a Quak. Ash 9 " " " S 80 W 51 " "

Land level wet, timber Beech, Elm, Ash, Oak,
Sycam &c.

West on the S. Boundary of Sec. 33

7.80 enter wet Prairie

8.50 enter wood

T. 24 N., R. 3 W. 2. Mer. Ind.

Chs. Sh.

15.00 enter same Prairie which lies on the South

25.00 enter woods

33.00 enter same Prairie which lies North

37.00 enter woods

40.00 set of sec. part from which

an Elm 9 in. diameter N 21° W 37 lbs. dist. 8

a W. Ash 30 " " " S 37° E 9 " "

80.00 set part cor. of sec. 32 & 33 from which

a Hickory 12 in. diameter S 41° E 4 lbs. dist. 8

a Beech 18 " " " N 13° W 15 " "

6 1/2 miles same, 4 1/2 miles rich & good for farming, timber Beech, Sugar, Ash, Gum &c.

West on the S. Boundary of Sec. 32

40.00 set of sec. part from which

a S. Oak 30 in. diameter S 36° W 29 lbs. dist. 8

a W. Ash 7 " " " N 80° E 14 " "

80.00 set part cor. of sec. 31 & 32 from which

a W. Ash 14 in. diameter N 57° W 23 lbs. dist. 8

a S. Oak 9 " " " S 26° E 22 " "

Land level rich & good for farming, timber same

West on the S. Boundary of Sec. 31

40.00 set of sec. part from which

a W. Oak 10 in. diameter N 8° W 9 lbs. dist. 8

an Ironwood 6 " " " S 43° W 27 " "

80.00 set temp. Township corner.

Land similar, very rich & good for farming

East Boundary. Var. 6° 15' E.

Bearings at corner of T. 23 & 24 N., R. 2 & 3 W.

a Poplar 12 in. dia. stands for cor. from which

a Sugar 10 " " bears S 65° W 8 lbs. dist.

North on the E. Boundary of Sec. 36

December 2, 1819

40.00 set of sec. part from which

T. H. N., R. 3 W. 2. Mer. Ind.^a
Chs. Shs.

a *Syc* 18 in. diam bears S 15 E 29 lbs. dist. 8
 a *Sugar* 18 " " " N 58 W 15 " "
 80.00 set part cor. of sec. 25 & 36 from which
 a *Syc* 27 in. diam bears N 81 W 19 lbs. dist. 8
 a *Beech* 24 " " " N 34 W 30 " "
 Land level & rate, timber Beech, Sugar, Oak, Elm,
Syc, Ash; middling good farming land

North on the E. Boundary of Sec. 25
 40.00 set q. sec. post from which
 an *Elm* 9 in. diam bears N 73 E 29 lbs. dist. 8
 a *W. Ash* " " " S 29 W 19 " "
 80.00 set part cor. of sec. 24 & 25 from which
 a *Beech* 6 in. diam bears N 74 W 7 lbs. dist. 8
 a *Hickory* 30 " " " S 42 E 12 " "
 Land same as on the last mile

North on the E. Boundary of Sec. 24
 40.00 set q. sec. post from which
 a *B. Ash* 8 in. diam bears S 30 E 6 lbs. dist. 8
 a *Do* 8 " " " N 25 W 10 " "
 72.50 a *Creek* 20 lbs. wide runs N W
 80.00 set part cor. of sec. 13 & 24 from which
 an *Ironwood* 4 in. diam bears S 29 W 10 lbs. dist. 8
 a *B. Oak* 36 " " " N 47 E 18 " "
 Land level & rate, timber Beech, Sugar, Ash,
 some Walnut. Good farming land

North on the E. Boundary of Sec. 13
 40.00 set q. sec. post from which
 a *Beech* 10 in. diam bears N 43 E 18 lbs. dist. 8
 a *Do* 30 " " " S 15 E 35 " "
 80.00 set part cor. of sec. 12 & 13 from which
 a *Sugar* 14 in. diam bears N 43 E 24 lbs. dist. 8
 a *Beech* 12 " " " S 8 W 23 " "
 Land rich & good for farming, timber same

T. 24 N., R. 3 W. 2. Mer. Ind. a.
Chs. Ch.

North on the E. Boundary of Sec. 12

22.50 a Creek 20 lbs. wide course NW

40.00 set of sec. post from which

a Beech 11 in. diameter N 16 W 19 lbs. dist. 3

a Do 14 " " " S 42 W 15 " "

80.00 set post cor. of sec. 12 & 13 from which

a Beech 9 in. diameter S 61 W 15 lbs. dist. 3

a Sugar 9 " " " N 40 E 21 " "

Land similar, nearly 1. 7. rate.

North on the E. Boundary of Sec. 1

32.00 a Creek 15 lbs. wide course W

40.00 set of sec. post from which

a Sugar 2 1/2 in. diameter N 74 E 4 lbs. dist. 3

a Do 24 " " " S 37 E 12 " "

78.12 Entered Township line 359 lbs. E. of temp. post

set post at intersection cor. of T. 24 & 25 N., R. 2 & 3 W. from which

a B. Ash 9 in. diameter N 25 W 40 lbs. dist. 3

a Lycamore 30 " " " S 71 E 62 " "

Land same as on the last mile

North Boundary.

West on the S. Boundary of Sec. 36, T. 25 N., R. 3 W

3.59 set post on left bank of Wabash R. from which

a Hackberry 11 in. diameter N 50 E 11 lbs. dist. 3

a Lycamore 60 " " " S 15 W 24 " "

Surveyed in 1819 by William Harris

Dep. Surveyor.

Continued in 1829 by David Hollis, D. S.

Commencing at post on left bank of Wabash River 3.59 Chs. W. of Town. cor.

8.59 over Wabash River

76.41 cor. of sec. 35 & 36 in Reserve

West on the S. Boundary of Sec. 35, T. 25 N., R. 3 W

T. 24 N., R. 37 W. 2. Mer. Ind.^a
 Ch. Lk.

27.64 set post on Reserve line 23.91 Ch. N. of the 9 W.
 cor. thereof, from which
 a B. Oak 6 in. diameter S 80 W 152 ft. dist. 8
 no other trees

28.00 Prairie

40.00 set of sec. post in Prairie (no Bearing trees)

65.64 a Buckeye 24 in. dia.

80.00 set post cor. of sec. 34 & 35 from which
 a B. Oak 15 in. diameter N 36 E 41 ft. dist. 8
 a Hickory 9 " " " N 65 W 117 " "
 Sand bar & wet, timber Elm, Oak & Buckeye
 no Upright

West on the S. Boundary of Sec. 34, T 25 N., R 37 W

6.00 enter S. Prairie

17.50 leave "

37.27 a W. Oak 24 in. dia.

40.00 set of sec. post from which
 a W. Oak 18 in. diameter N 72 E 35 ft. dist. 8
 a Spr 16 " " " N 15 W 16 " "

65.40 a B. Oak 30 " "

80.00 set post cor. of sec. 33 & 34 from which
 a B. Oak 28 in. diameter N 73 E 23 ft. dist. 8
 a W. Oak 24 " " " N 76 W 82 " "
 Sand a little rolling State, timber Oak &
 Hickory, no Upright.

West on the S. Boundary of Sec. 33, T 25 N., R 37 W

3.00 a W. Oak 22 in. dia.

33.00 Prairie

40.00 set of sec. post (no Bearing trees)

49.18 set post on left bank of Tippucanoe R. from which
 an Elm 15 in. diameter N 54 E 38 ft. dist. 8
 a Spr 16 " " " N 22 W 92 " "

54.84 set post on right bank of Tippucanoe R. from which
 B. Oak 28 N 59 E 31 ft & Spr 22 N 44 W 69

T. 24 N., R. 3 W. 2. Mer. Ind.?
Chr. W.

60.59 a Hickory 15 in. dia.

80.00 set post cor. of sec. 32 & 33 from which
a Hickory 10 in. dia. bears N 84 E 34 lbs. dist. 8

a B. Oak 13 " " " N 60 W 36 " "

Land rolling S. rate, Barrens with some Oak, Hazel

West on the S. Boundary of Sec. 32, T 25 N, R 3 W

8.20 set post on right bank of Tippecanoe R. from which
Willow 6 N 80 W 34 & Dr 5 S 73 W 14

13.75 set post on left bank of Tip. R. from which
R. Oak 35 S 45 E 36 & B. Ash 6 N 26 W 25

31.90 set post on left bank of Tip. R. from which
Syc 6 N 41 E 7 & B. Oak 10 S 76 W 46

36.75 set post on right bank of Tip. R. from which
W. Oak 16 N 38 W 54 & Dr 16 N 4 E 52

40.00 set g. sec. post from which
Hickory 10 N 86 E 46 & Dr 10 N 59 W 10

80.00 set post cor. of sec. 31 & 32 from which
a W. Oak 24 in. dia. bears N 2 W 74 1/2 lbs. dist. 8
a Dr 24 " " " N 15 E 7 1/2 " "
Land the same as before described

West on the S. Boundary of Sec. 31, T 25 N, R 3 W

2.70 a Stream 25 lbs. wide course S E

13.22 a W. Oak 23 in. dia.

40.00 set g. sec. post from which
a W. Oak 13 in. dia. bears N 74 E 41 lbs. dist. 8
a Hickory 10 " " " N 54 W 25 " "

86.88 set post cor. of T. 24 & 25 N, R. 3 & 4 W. from which
a Hickory 13 in. dia. bears N 34 W 62 lbs. dist. 8
a Dr 15 " " " S 12 W 19 " "

Land &c. the same as on the last mile
Surveyed in 1828 by

David Willis
Dep. Surveyor.

T. 24 N., R. 3 W. 2^d Mer. Ind.^a
Chs. 24th

West Boundary. Var. 6° 00
North on the E. Boundary of Sec. 36, T. 24 N., R. 4 W.
40.00 set of g. sec. port from which
a Beech 27 in. dia. leans S 45° W 34 Ms. dist. 3
a Do 30 " " " N 13° E 53 " "
80.00 set part cor. of sec. 25 & 36 from which
a Sugar 14 in. dia. leans S 60° W 27 Ms. dist. 3
a Hickory 10 " " " N 20° E 16 " "
Land 1st rate, resembles bottom

North on the E. Boundary of Sec. 25, T. 24 N., R. 4 W
25.00 a Spring W
34.00 a Brook 10 Ms. wide course W
40.00 set of g. sec. port from which
a Buckeye 7 in. dia. leans S 78° E 19 Ms. dist. 3
a Do 12 " " " N 52° W 30 " "
76.37 set port on left bank of Wabash R. from which
a Buckeye 14 in. dia. leans S 63° E 35 Ms. dist. 3
an Elm 12 " " " S 77° W 50 " "
First rate bottom, not inundated much.
December 5. 1819. William Harris

Dep. Surveyor.

Continued in 1828 by David Willis, D. S.

Commencing at port on left bank of Wabash R.

Var. 6° 00' E. Course of River S W

3.63 to cor. of sec. 24 & 25 in the River

North on the E. Boundary of Sec. 24, T. 24 N., R. 4 W
9.70 to right bank of Wabash River
80.00 cor. of sec. 13 & 24 in Reserve

North on the E. Boundary of Sec. 13, T. 24 N., R. 4 W
4.00 enter Prairie
36.45 port on the Bennett Reserve
40.00 set of g. sec. port, no bearing trees
80.00 set part cor. of sec. 12 & 13 in Prairie and raised

T. 24 N., R. 3 W. 2. Mer. Ind. a
Ch. Lk.

(no Bearing trees)

Land level & T. rate dry Prairie

North on the E. Boundary of Sec. 12, T. 24 N., R. 4 W

40.00 let of sec. part in Prairie (no Bearing trees)

60.50 leave Prairie

77.45 a R. Oak 30 in. dia.

80.00 let part cor. of sec. 1 & 12 from which

a W. Oak 30 in. dia. bears S 65° W 63 lbs. dist. 8

a Spr 20 " " " N 29° W 40 " "

Land the same as before, except the last 1/4 mile
which is 2. rate Oak land

North on the E. Boundary of Sec. 1, T. 24 N., R. 4 W

18.76 a Hickory 16 in. dia.

19.50 enter Prairie

39.00 leave "

40.00 let of sec. part from which

a R. Oak 24 in. dia. bears S 67° W 13 lbs. dist. 8

a Spr 6 " " " N 26° W 20 " "

43.00 enter wet Prairie

62.50 leave " "

63.05 a Hickory 24 in. dia.

75.71 Intersect Township line 13 Ch. 12 M. E. of port

(Description of land & omitted)

May 7. 1828 David Willis

Dep. Surveyor

Subdivision. Var. 6° 15' E.

July 15th 1822

North between Sec. 35 & 36, T. 24 N., R. 3 W

19.90 a W. Oak 40 in. dia.

40.00 let of sec. part from which

a B. Walnut 6 in. dia. bears S 16° W 27 lbs. dist. 3

an Elm 8 " " " N 7° E 9 " "

63.63 a Poplar 40 in. dia.

T. 24 N., R. 3 W. 2. Mer. Ind. a.

Ch. Lk.

80.00 ^{in. dia.} ~~at~~ ^{center} of sec. 25, 26, 35 & 36 from which
a B. Oak 30 in. diameter N 74 E 16 W. dist.
Land level & swampy, timber Beech, Oak & Alder.
Spice &

East on Random between Sec. 25 & 36

40.00 set temp. of sec. port

79.95 Intersect E. Boundary 10 W. S. of port -

Land level, timber Beech, Sugar, Lymbr. Spice &

West Corrected between Sec. 25 & 36

39.97 1/2 set of sec. port at aver. dist. from which

a Lymbr 20 in. diameter S 52 E 35 W. dist. 8

a Do 18 " " " N 49 W 18 " "

79.95 to sec. cor.

North between Sec. 25 & 26

21.27 a Lymbr 18 in. dia.

40.00 set of sec. port from which

a Hickory 15 in. diameter N 37 W 10 W. dist. 8

a Maple 20 " " " S 50 E 23 " "

62.00 a W. Oak 20 " "

80.00 set port cor. of sec. 23, 24, 25 & 26 from which

a Hickory 5 in. diameter S 77 E 8 W. dist. 8

an Elm 5 " " " N 72 W 7 " "

Land level, timber Beech, Sugar, Oak & Spice &

East on Random between Sec. 24 & 25

13.00 a Brook 12 W. wide course N W

40.00 set temp. of sec. port

79.90 Intersect E. Boundary 24 W. N. of port -

Land level, timber Beech, Oak, Sugar & Spice &

West Corrected between Sec. 24 & 25

39.95 set of sec. port at aver. dist. from which

a Lymbr 18 in. diameter N 81 E 14 W. dist. 8

T. 24 N., R. 3 W. 2^d. Mer. Ind.^a
Chs. Ch.

a Hickory 14 in. diam. S 81° W 30 lbs. dist.
79.90 to sec. cor.

North between Secs. 23 & 24

19.00 a Brook 15 lbs. wide course N°W

27.94 a B. Oak 40 in. dia.

40.00 set of sec. post from which

a Hickory 24 in. diam. S 30° E 37 lbs. dist. 8

a Beech 12 " " " N 72° W 20 " "

60.50 a Stream 25 lbs. wide course N°W

64.66 a B. Walnut 30 in. dia.

80.00 set post cor. of sec. 13, 14, 23 & 24 from which

a Beech 15 in. diam. S 65° E 11 lbs. dist. 8

a Do 18 " " " N 24° W 27 " "

Sand rolling, timber Oak, Sugar, Beech &
Wyr. Spice &c.

East on Random between Secs. 13 & 24

32.60 a Stream 15 lbs. wide course S°W

37.00 a Do 20 " " " S°W

40.00 set temp. of sec. post

80.00 Intersect Co. Boundary 18 lbs. N. of post -

Sand hilly, timber Beech, Oak & Wyr. Spice &c.

West Connected between Secs. 13 & 24

40.00 set of sec. post at aver. dist. from which

a Buckeye 18 in. diam. N 40° W 19 lbs. dist. 8

a Hackberry 12 " " " S 14° E 24 " "

80.00 to sec. cor.

North between Secs. 13 & 14

19.10 an Elm 40 in. dia.

40.00 set of sec. post from which

a Beech 20 in. diam. N 19° E 14 lbs. dist. 8

a Do 5 " " " S 20° W 5 " "

62.34 an Ash 30 " "

T. 24 N., R. 34 W. L. Mer. Ind. a.

Chm. Sh.

80.00 set post cor. of sec. 11, 12, 13 & 14 from which
 a Hickory 18 in. dia. bears S 72° W 38 lbs. dist. 8
 a Sugar 15 " " " N 51° E 46 " "
 Land level, timber Beech, Oak & Upr. Spice &c.

East on Random between Sec. 12 & 13

40.00 set temp. of sec. post

80.20 Intersect E. Boundary 10 lbs. N. of post -
 Land hilly, timber Beech, Oak & Upr. Spice &c.

West Connected between Sec. 12 & 13

40.10 set of sec. post at aver. dist. from which
 a Beech 20 in. dia. bears S 36° E 14 lbs. dist. 8
 a Do 14 " " " N 47° W 10 " "

80.20 to sec. cor. July 15, 1822

North between Sec. 11 & 12

21.39 a Sugar 20 in. dia.

40.00 set of sec. post from which
 a W. Oak 20 in. dia. bears S 41° W 11 lbs. dist. 8
 a Do 18 " " " N 23° E 21 " "

50.30 a Stream 20 lbs. wide course W

68.28 a B. Walnut 26 in. dia.

80.00 set post cor. of sec. 1, 2, 11 & 12 from which
 a Beech 20 in. dia. bears S 2° E 50 lbs. dist. 8
 a Do 14 " " " N 65° W 35 " "
 Land hilly, timber Beech, Walnut, Oak & Spice &c.

East on Random between Sec. 1 & 12

40.00 set temp. of sec. post

80.30 Intersect E. Boundary 15 lbs. N. of post -
 Land level, timber Sugar, Walnut & Spice &c.

West Connected between Sec. 1 & 12

40.15 set of sec. post at aver. dist. from which
 a Hickory 10 in. dia. bears N 54° W 5 lbs. dist. 8

T. 24 N., R. 3 W. 2. Mer. Ind.^a
 Chs. Lb?

a W. Oak 12 in. diameter S 15 E 27 lbs. dist.
 80.30 to sec. cor.

North between Sec. 1 & 2

13.24 a Poplar 36 in. dia.

15.00 set post on left bank of Mabash R. from which
 a Sugar 17 in. diameter N 74 E 14 lbs. dist. 2
 a Mulberry 7 " " S 78 W 18 " "
 (Description of land &c. omitted)

West between Sec. 2 & 11

16.50 a Sugar 24 in. dia.

25.00 set post on left bank of Mabash R. from which
 a W. Oak 12 in. diameter N 63 E 16 lbs. dist. 3
 an Ironwood 6 " " S 26 W 12 " "
 Bottom land, July 16. 1822

North between Sec. 34 & 35

20.24 a Beech 20 in. dia.

40.00 set of sec. post from which
 a Elm 16 in. diameter S 15 W 28 lbs. dist. 3
 a Beech 12 " " N 38 E 39 " "

62.75 a Sugar 20 " "

80.00 set post cor. of sec. 26, 27, 34 & 35 from which
 an Elm 12 in. diameter S 62 E 6 lbs. dist. 3
 a Sugar 7 " " N 84 W 28 " "
 Land level, timbered Beech, Sugar, Ash & Spice &c.

East on Random between Sec. 26 & 35

40.00 set temp. of sec. post

79.90 Intersect N & S line at post -

Land level, timbered Beech, Sugar, Oak & Spice &c.

West Corrected between Sec. 26 & 35

39.95 set of sec. post at aver. dist. from which
 a B. Oak 40 in. diameter N 50 W 31 lbs. dist. 3

T. 24 N., R. 3 W., S. 2. Mer. Ind.^a
Chs. Ebs.

a Beech 20 in. dia. leans S 56 E 30 lbs. dirt.

79.90 to sec. cor.

North between Sect. 26 & 27

19.74 a B. Walnut 40 in. dia.

40.00 set of sec. post from which

a Beech 18 in. dia. leans S 33 W 40 lbs. dirt.

a W. Oak 12 " " " N 64 E 28 " "

66.54 a Sugar 18 " "

80.00 set post cor. of sec. 22, 23, 26 & 27 from which

a Poplar 36 in. dia. leans N 83 E 14 lbs. dirt.

a W. Beech 4 " " " S 27 W 39 " "

Land level, timber Beech, Walnut, Sugar &

W. Spr. Spice &

East on Random between Sect. 23 & 26

40.00 set temp. of sec. post

80.00 Intersect N. S. line 13 lbs. S. of post -

Land level, timber Beech, Sugar, Walnut, Poplar

& W. Spr. Spice &

West Connected between Sect. 23 & 26

40.00 set of sec. post at aver. dirt. from which

a Poplar 10 in. dia. leans S 57 W 11 lbs. dirt.

a W. Oak 30 " " " N 36 E 35 " "

80.00 to sec. cor.

North between Sect. 22 & 23

16.79 a Brook 15 lbs. wide course W

23.24 a Sycamore 24 in. dia.

24.73 a Stream 40 lbs. wide course S W

40.00 set of sec. post from which

an Elm 12 in. dia. leans N 52 E 18 lbs. dirt.

a B. Oak 8 " " " S 38 W 19 " "

54.00 a Beech 20 " "

80.00 set post cor. of sec. 14, 15, 22 & 23 from which

T. 24 N., R. 3 W. 2. Mer. Ind. a.

Chs. Chs.

a Spruce 18 in. diam. N 7 E 40 hrs. dist. 3
 an Ash 14 " " " S 56 W 11 " "
 Sand level, timber Walnut, Sugar & Spice &c.

East on Random between Secs. 14 & 23

40.00 lat temp. of sec. port

79.92 Intersect N & S. line 13 hrs. E. of port -

Sand level, timber Birch, Sugar, Hickory & Wgn.
 Spice &c.

West Connected between Secs. 14 & 23

39.96 lat of sec. port at area. dist. from which

a Spruce Ash 14 in. diam. S 18 E 11 hrs. dist. 3

a S. Ash 8 " " " N 56 W 21 " "

79.92 to sec. cor. July 17, 1822

North between Secs. 14 & 15

28.54 a Spruce 24 in. diam.

40.00 lat of sec. port from which

a Beech 24 in. diam. S 76 W 15 hrs. dist. 3

a Sugar 18 " " " N 49 E 26 " "

52.06 a Poplar 50 " "

80.00 lat port cor. of Secs. 10, 11, 14 & 15 from which

a Sugar 30 in. diam. S 79 W 32 hrs. dist. 3

a Beech 18 " " " S 85 E 25 " "

Sand hilly, timber Poplar, Sugar, Beech &c.
 Wgn. Spice &c.

East on Random between Secs. 14 & 14

27.30 a Brook 10 hrs. wide course N W

40.00 lat temp. of sec. port

79.90 Intersect N & S. line 12 hrs. E. of port -

Sand hilly, timber Walnut, Sugar & Wgn. Spice &c.

West Connected between Secs. 14 & 14

39.95 lat of sec. port at area. dist. from which

T. 24 N., R. 3 W. 2. Mer. Ind.^a
Chs. Lks.

a Sugar 20 in. diameter S 50 W 18 lbs. dirt & 8
a Spruce 14 " " " N 60 E 37 " "
79.90 to sec. cr. July 17. 1822

North between Sec. 10 & 11

5.75 a Brook 10 lbs. wide course S W
18.11 a Sugar 20 in. dia.
27.84 a Brook 10 lbs. wide course S W
40.00 set of sec. port from which
a W. Oak 20 in. diameter S 11 W 26 lbs. dirt & 8
a Buckeye 8 " " " N 65 E 47 " "
47.89 a Dr 18 " "
80.00 set port cr. of sec. 2, 3, 10 & 11 from which
a Hackberry 18 in. diameter N 9 E 34 lbs. dirt & 8
a Dr 14 " " " S 15 W 10 " "
Bottom land, timber Walnut, Hackberry, Sugar
& W. Spruce &c.

East in ~~Random~~ between Sec. 2 & 11

9.50 a Stream 25 lbs. wide course N E
36.50 set port on left bank of Wabash R. from which
a B. Walnut 8 in. diameter S 33 E 8 lbs. dirt & 8
a Sugar 18 " " " N 31 W 8 " "
Bottom land

West between Sec. 3 & 10

6.59 a Hackberry 20 in. dia.
36.00 set port on left bank of Wabash R. from which
a Willow 8 in. diameter N 9 W 8 lbs. dirt & 8
a Dr 8 " " " S 83 E 28 " "
(Description of land &c. omitted)

North between Sec. 2 & 3

15.00 set port on left bank of Wabash R. from which
a Willow 6 in. diameter N 86 E 4 lbs. dirt & 8
a Dr 9 " " " S 49 W 22 " "

T. 24 N., R. 3 W. 2. Mer. Ind.^a
 Chas. Chas.

(Description of land & omitted) July 18. 1822

North between Sec. 33 & 34

20.17 a Hickory 20 in. dia.

40.00 set of sec. part from which

a W. Oak 18 in. dia. bears N 54° W 49 lbs. dist. 23

a Do 16 " " " S 21° E 30 " "

80.00 set part cor. of sec. 27, 28, 33 & 34 from which

an Ironwood 5 in. dia. bears S 49° W 24 lbs. dist. 23

a B. Oak 24 " " " N 26° E 17 " "

Land level, timber Beech, Sugar, & Upr. Spice
 1³/₄ mile Swamp

East on Random between Sec. 27 & 34

40.00 set temp. of sec. part

80.12 Intersect N & S line 8 lbs. E. of part -

Land level, timber Beech, Sugar, Oak & Upr. Spice

West Connected between Sec. 27 & 34

40.06 set of sec. part at aver. dist. from which

a Beech 14 in. dia. bears S 24° W 14 lbs. dist. 23

a Do 18 " " " N 51° E 37 " "

80.12 to sec. cor.

North between Sec. 27 & 28

16.34 a Walnut 24 in. dia.

40.00 set of sec. part from which

a Hickory 8 in. dia. bears N 44° E 16 lbs. dist. 23

an Ironwood 12 " " " S 33° W 24 " "

13.86 a Beech 18 " "

80.00 set part cor. of sec. 21, 22, 27 & 28 from which

a Beech 18 in. dia. bears N 66° W 20 lbs. dist. 23

an Ash 9 " " " S 66° E 13 " "

Land level, timber Beech, Sugar, Hickory
 & Upr. Spice &c.

T. 24 N., R. 3 W. 2. Mer. Ind. a.
Ech. Ch.

East on Random between Sec. 22 & 27

40.00 set temp. g. sec. post

80.00 Intercept N & S. line 15 M. S. of post -

Land level, timber Beech, Sugar & Wye. Spruce

West Corrected between Sec. 22 & 27

40.00 set g. sec. post at aver. dist. from which

a W. Oak 20 in. dia. bears N 65 E 9 M. dist. 8

an Ash 5 " " " S 59 W 29 " "

80.00 to sec. cor. July 19, 1822

North between Sec. 21 & 22

30.76 a W. Oak 40 in. dia.

40.00 set g. sec. post from which

a Spruce 9 in. dia. bears S 40 E 25 M. dist. 8

an Ironwood 10 " " " S 81 W 10 " "

43.27 a Spruce 40 M. wide corner NW

43.47 a Swamp Oak 40 in. dia.

80.00 set post cor. of sec. 15, 16, 21 & 22 from which

a Sugar 18 in. dia. bears S 13 W 18 M. dist. 8

a Sassafras 4 " " " N 70 E 37 " "

Land hilly, timber Oak, Beech, Sugar & Wye. Spruce

East on Random between Sec. 15 & 22

40.00 set temp. g. sec. post

80.16 Intercept N & S. line 18 M. S. of post -

Land level, timber Beech, Oak, Sugar & Wye. Spruce

West Corrected between Sec. 15 & 22

40.08 set g. sec. post at aver. dist. from which

an Ash 18 in. dia. bears N 44 E 31 M. dist. 8

a W. Oak 18 " " " S 70 W 39 " "

80.16 to sec. cor.

North between Sec. 15 & 16

T. 24 N., R. 3 W. S. Mer. Ind.^a
Ch. Sp.

28.40 an Ark 40 in. dia.

40.00 set of sec. port from which

a W. Walnut 6 in. dia. bears N 41° W 18 lbs. dist. 3

a Sugar 18 " " " S 30° E 22 " "

60.00 a Stream 20 lbs. wide course NE

63.78 a B. Oak 24 in. dia.

80.00 set port cor. of sec. 9, 10, 15 & 16 from which

a Maple 36 in. dia. bears N 82° W 29 lbs. dist.

(no other Bearing tree)

Land hilly, timber Beech, Oak, Hickory &

Upr. Spruce &

East in Random between Sec. 10 & 15

22.50 a Birch 10 lbs. wide course NW

35.00 enter a Swamp

40.00 set temp. of sec. port

50.00 leave the Swamp

62.38 a Stream 12 lbs. wide course NW

80.00 ~~Intersect~~ N. G. line at port -

Land hilly, timber Walnut, Beech, Sugar &

Upr. Spruce &

West Connected between Sec. 10 & 15

40.00 set of sec. port at cor. dist. from which

a Sup. Ark 10 in. dia. bears N 60° W 18 lbs. dist. 3

a Willow 6 " " " S 33° E 15 " "

80.00 to sec. cor.

West between Sec. 9 & 16

2.00 set port on left bank of Wabash R. from which

a Maple 24 in. dia. bears N 89° E 159 lbs. dist.

(no other Bearing tree)

North between Sec. 9 & 10

5.50 set port on left bank of Wabash R. from which

a Maple 5 in. dia. bears N 48° E 12 lbs. dist. 3

Continued

T. 24 N., R. 3 W. 2, Mer. Ind. Co.
Ch. Ind.

a Maple 8 in. dia. bears S 10 W 12 lbs. dirt.
July 20. 1822

North between Sec. 32 & 33

21.08 a B. Oak 20 in. dia.

40.00 cut of sec. port from which

a Sugar 14 in. dia. bears S 37 W 10 lbs. dirt &

a Dr 14 " " " N 74 E 20 " "

69.83 a Gum 24 " "

80.00 cut port cor. of sec. 28, 29, 32 & 33 from which

a Beech 15 in. dia. bears S 73 W 14 lbs. dirt &

a Dr 10 " " " N 78 E 33 " "

Land level, timber Beech, Sugar, Oak & Upr.
Spice &

East in Random between Sec. 28 & 33

40.00 cut temp. of sec. port

79.93 Intersect N & S line 15 lbs. S. of port -

Land level, timber Beech, Sugar, Oak & Upr.
Spice &

West Connected between Sec. 28 & 33

39.96 cut of sec. port at aver. dirt from which

a Sugar 14 in. dia. bears S 15 W 22 lbs. dirt &

a Hickory 4 " " " N 54 E 19 " "

79.93 to sec. cor.

North between Sec. 28 & 29

10.40 a B. Walnut 24 in. dia.

40.00 cut of sec. port from which

a Hickory 20 in. dia. bears S 34 E 39 lbs. dirt &

a Beech 16 " " " N 75 W 16 " "

60.83 a W. Oak 30 " "

80.00 cut port cor. of sec. 20, 21, 28 & 29 from which

a W. Oak 50 in. dia. bears N 44 W 68 lbs. dirt &

a Hickory 18 " " " S 54 E 15 " "

T. 24 N., R. 3 W. S. Mer. Ind.^a
 Ch. Sh.

Land level, timber Beech, Oak, Sugar &
 Upr. Spice &

East on Random between Sec. 21 & 28

40.00 set temp. g. sec. port

80.00 Interest N. S. line at port -

Land hilly, timber Hickory, Oak & Spice &

West Connected between Sec. 21 & 28

40.00 set g. sec. port at aver. dist. from which

a Sugar 15 in. diameter S 86 E 33 1/2 m. dist. &

a Beech 16 " " " N 20 W 39 " "

80.00 to sec. cor.

North between Sec. 20 & 21

20.55 a Poplar 24 in. dia.

38.50 a Stream 40 m. wide runs S W

40.00 set g. sec. port from which

a W. Ash 20 in. diameter S 74 W 31 1/2 m. dist. &

a Blue Ash 12 " " " N 44 E 22 " "

57.28 a W. Oak 40 " "

80.00 set port cor. of sec. 16, 17, 20 & 21 from which

a B. Oak 40 in. diameter S 79 W 17 1/2 m. dist. &

a Sugar 18 " " " N 47 E 28 " "

Land hilly, timber Oak, Sugar, Beech & Upr.
 Spice &

East on Random between Sec. 16 & 21

40.00 set temp. g. sec. port

79.85 Interest N. S. line 19 m. N. of port -

Land hilly, timber Oak, Beech, Sugar &
 Upr. Spice &

West Connected between Sec. 16 & 21

39.92 1/2 set g. sec. port at aver. dist. from which

a Sugar 20 in. diameter N 66 E 27 1/2 m. dist. &

T. H. N., R. 3 W. 2. Sec. Ind. a
 Elm. 80.

a Sugar 18 in. dia. bears S 24° W 24 lbs. dist.
 19.85 to sec. cor.

North between Sec. 16 & 17

13.40 a Sugar 30 in. dia.

19.90 a Brook 12 lbs. wide course N W

22.50 set post on left bank of Mahash R. from which

a Hackberry 15 in. dia. bears N 89° E 40 lbs. dist. 8

a Maple 10 " " " S 74° W 21 " "

West between Sec. 17 & 20

11.78 a W. Oak 40 in. dia.

25.50 set post on left bank of Mahash R. from which

an Elm 12 in. dia. bears N 16° E 14 lbs. dist. 8

a Pop. Ash 4 " " " S 13° E 6 " "

July 21, 1822

North between Sec. 31 & 32

21.87 a Poplar 20 in. dia.

40.00 set q. sec. post from which

a Sugar 14 in. dia. bears S 15° E 7 lbs. dist. 8

a Poplar 7 " " " N 65° W 26 " "

68.00 a W. Oak 20 " "

80.00 set post cor. of sec. 29, 30, 31 & 32 from which

a W. Walnut 18 in. dia. bears S 48° W 40 lbs. dist. 8

a Lym 24 " " " N 34° E 44 " "

Sand hills, timber Beech, Oak, Sugar &
 W. Spruce &c.

East on Random between Sec. 29 & 32

0.50 a Stream 40 lbs. wide course N W

3.32 a Do 40 " " " S W

4.70 a Do 40 " " " N W

12.80 a Do 40 " " " S W

19.50 a Do 40 " " " N W

29.50 a Do 40 " " " S W

T. 24 N., R. 3 W. 2. Mer. Ind. a
Chs. Sh.

80.00 Interest N. & L. line at port—

Land hilly, timber Oak, Sugar, Beech &
Upr. Spruce &

West Directed between Sec. 29 & 32

40.00 set of sec. post at aver. dist. from which
a W. Oak 18 in. dia. bears S 73° E 20 lbs. dist. 23
an Ironwood 6 " " " N 60° W 15 " "

80.00 to sec. cor.

West between Sec. 31 & 30

26.50 a Sugar 18 in. dia.

40.00 set of sec. post from which
a Spruce 7 in. dia. bears N 57° E 33 lbs. dist. 8
a Beech 20 " " " S 21° W 19 " "

60.10 a Do 24 " "

87.70 Interest W. Boundary 30 lbs. N. of post—
set post at intersection cor. of sec. 30 & 31 from which
a Sugar 18 in. dia. bears N 71° W 20 lbs. dist. 23
a Buckeye 14 " " " S 70° E 29 " "
(Description of land & omitted)

North between Sec. 29 & 30

0.15 a Stream 40 lbs. wide course N W

23.84 a Hickory 24 in. dia.

40.00 set of sec. post from which
a Poplar 12 in. dia. bears S 28° W 27 lbs. dist. 8
a Sugar 12 " " " N 64° E 17 " "

59.28 an Ash 36 " "

80.00 set post cor. of sec. 19, 20, 29 & 30 from which
a Sugar 6 in. dia. bears S 83° E 24 lbs. dist. 23
a W. Beech 6 " " " N 81° W 6 " "
Land hilly, timber Walnut, Sugar &
Upr. Spruce &

East on Random between Sec. 20 & 29

T. 24 N., R. 37 W. 2. Mer. Ind. a.

Ch. Ch.

40.00 set temp. g. sec. port

80.00 Entered N. & S. line at port -

Land hilly, timber Beech, Hickory & Spice &

West Corrected between Sec. 20 & 29

40.00 set g. sec. port at aver. dist. from which

a W. Oak 30 in. dia. bears N 38° W 11 lbs. dist. 8

a Beech 10 " " " S 47° E 47 " "

80.00 to sec. cor.

West between Sec. 19 & 30

9.80 a Walnut 30 in. dia.

20.00 a Stream 40 lbs. wide course N° W

40.00 set g. sec. port from which

a W. Oak 40 in. dia. bears N 73° E 6 lbs. dist. 8

a Buckeye 24 " " " S 74° W 11 " "

59.47 a B. Walnut 24 " "

76.50 set port on left bank of Wabash R. from which

a Sycamore 30 in. dia. bears N 47° W 39 lbs. dist. 8

a W. Oak 10 " " " S 21° E 28 " "

Bottom land, 1st rate, timber Walnut, Sugar &
Upr. Spice, Pawpaw &

North between Sec. 19 & 20

15.73 a Sugar 18 in. dia.

40.00 set g. sec. port from which

a Hackberry 9 in. dia. bears S 63° E 31 lbs. dist. 3

a W. Walnut 9 " " " N 55° W 5 " "

47.79 set port on left bank of Wabash R. from which

a Buckeye 24 in. dia. bears S 69° E 12 lbs. dist. 8

a Sp. Dogwood 4 " " " N 82° W 5 " "

Bottom land, timber Walnut, Buckeye &

Upr. Spice & July 22. 1822

Meanders of the left bank of Wabash
River. Beginning at port on River in the

T. 24 N., R. 3 W. 2. Mer. Ind. a

N. Boundary of this Township, thence down stream
on its left bank:

<i>Course Dist. Bearing Chs. Pts.</i>	<i>Remarks.</i>
S 23° W 24.50	In Sec. 1
S 51° W 15.00	
S 65° W 17.50	
S 67.18° W 53.35	to port in line between Sec. 1 & 2
S 58° W 14.50	In Sec. 2
S 60.4° W 14.67	to port in line between Sec. 2 & 11
S 81° W 12.00	In Sec. 11
N 74° W 6.83	to port in line between Sec. 2 & 11
N 41° W 11.00	In Sec. 2
N 77° W 30.05	at 13.05 Chs. a stream 40 ft. wide course S E to port in line between Sec. 2 & 3
West 14.00	In Sec. 3
S 40° W 10.00	
S 54° W 13.50	
S 24° W 4.04	to port in line between Sec. 3 & 10
S 25° W 4.50	In Sec. 10
S 29° W 22.50	
S 42° W 39.00	
S 53.9° W 22.26	to port in line between Sec. 9 & 10
S 55.59° W 6.91	In Sec. 9 - to port in line betw. Sec. 9 & 16
S 13° W 14.00	In Sec. 16
S 63° W 50.50	
S 61° W 15.50	
S 50.4° W 21.00	to port in line between Sec. 16 & 17

T. 24 N., R. 3 W., 2. Mer. Ind. a.

951 W 12.50 In Sec. 17

947 1/4 W 21.51 to post in line between Sec. 17 & 20

952 W 15.50 In Sec. 20 - opposite Tippucanoe River

961 1/4 W 48.00 to post in line between Sec. 19 & 20

973 W 16.00 In Sec. 19

962 W 12.50 a Stream 50 M. wide course S E

949 W 35.00

968 W 8.50

955 W 19.37 to post in line between Sec. 19 & 30

966 W 12.30 In Sec. 30 - to post in Range line
Surveyed in 1822

by Henry Bryan
Dep. Surveyor.

North between Sec. 16 & 17

Commencing at post on left bank of Wabash River,
22.50 Ch. N. of cor. of sec. 16, 17, 20 & 21

11.80 set post on right bank of Wabash R. from which
a Coffeenut 12 in. dia. bears S 25 W 22 M. dist. 3
a Buckeye 12 " " " N 6 E 19 " "

15.15 a Do 24 " "

17.50 set q. sec. post from which

a Buckeye 21 in. dia. bears S 50 W 11 M. dist. 3

a Do 18 " " " N 82 E 17 " "

44.91 a Hickory 6 " "

57.50 set post cor. of sec. 8, 9, 16 & 17 from which

a B. Oak 40 in. dia. bears S 74 W 8 M. dist. 3

a Hickory 8 " " " N 61 E 7 " "

First rate land, timber Buckeye & Hackberry

East between Sec. 9 & 16

23.89 a B. Walnut 7 in. dia.

36.63 a Buckeye 10 " "

T. 24 N., R. 3 W. D. Mer. Ind. a

Chs. 242

40.00 set g. sec. post from which

a Hackberry 12 in. dia. bears S 46° W 20 lbs. dist. 3

a Buckeye 13 " " " N 39° E 14 " "

47.09 a Hickory 10 " "

60.88 a Hackberry 18 " "

70.89 set post on right bank of Wabash River from which

a Sugar 10 in. dia. bears S 72° W 4 lbs. dist. 3

a Do 8 " " " N 45° W 14 " "

Level 1st rate bottom land, timber Sugar, Hackberry,
Buckeye & Upr. Sugar & Buckeye

North between Sec. 8 & 9

15.20 a Cherry 4 in. dia.

21.00 set post on left bank of Tippecanoe R. from which

a Hackberry 5 in. dia. bears N 75° W 7 lbs. dist. 3

an Ironwood 4 " " " S 56° E 8 " "

26.64 set post on right bank of Tippecanoe R. from which

a Willow 9 in. dia. bears N 67° E 117 lbs. dist. 3

a Do 10 " " " N 15° W 140 " "

29.00 enter Barrens

40.00 set g. sec. post from which

a Hickory 18 in. dia. bears N 1° W 459 lbs. dist. 3

enter scattering groves (no other Bearing tree)

49.41 a W. Oak 18 in. dia.

80.00 set post cor. of Sec. 4, 5, 8 & 9 from which

a W. Oak 20 in. dia. bears S 22° W 76 lbs. dist. 3

a Do 24 " " " N 11° W 126 " "

Land rolling 2nd rate, scattering Oak & no Upr.

East between Sec. 4 & 9

8.90 set post on right bank of Tippecanoe R. from which

a Willow 8 in. dia. bears N 8° E 9 lbs. dist. 3

a Do 4 " " " East 4 " "

15.50 set post on left bank of Tippecanoe R. from which

a Bur Oak 27 in. dia. bears N 22° E 61 lbs. dist. 3

no other Bearing tree

T. 24 N., R. 3 W. 2. Mer. Ind. a
Ch. Sh.

- 32.00 a Hickory 8 in. dia.
40.00 set of sec. part from which
a B. Suck 4 in. dia. bears S 16° W 5 lbs. dist. 8
a Do 3 " " " N 5° E 72 " "
60.50 a W. Oak 24 " "
80.00 set part con. of sec. 3, 4, 9 & 10 from which
a W. Oak 20 in. dia. bears S 89° W 73 lbs. dist. 8
a Do 20 " " " N 24° E 134 " "
Land as last described

South between Sec. 9 & 10

- 26.03 a P. Oak 30 in. dia.
40.00 set of sec. part from which
a Hickory 7 in. dia. bears S 85° W 13 lbs. dist. 8
a Do 12 " " " N 50° E 14 " "
44.17 a B. Walnut 15 in. dia.
46.97 set part on right bank of Wabash R. from which
a Bur Oak 5 in. dia. bears N 41° E 13 lbs. dist. 8
a Buckeye 10 " " " S 67° W 32 " "
First 1/2 mile hilly & rate, the remainder level
at rate, timber Oak, Sugar & Buckeye. Under-
brush Buckeye & Sugar

East between Sec. 3 & 10

- 18.50 a W. Oak 24 in. dia.
32.03 a Do 18 " "
35.25 set part on right bank of Wabash R. from which
a Yucca 20 in. dia. bears S 31° W 27 lbs. dist. 8
an Elm 9 " " " N 8° W 22 " "
Land level & rate, timber Oak, open woods
September 23, 1828

North between Sec. 3 & 4

- 26.73 a W. Oak 15 in. dia.
40.00 set of sec. part from which
a W. Oak 22 in. dia. bears N 85° E 32 lbs. dist. 8

T. 24 N., R. 37 W. 3. Mer. Ind.^a
Chs. Chs.

a W. Oak 24 in. diam. S 12 E 44 lbs. dist.
68.00 a Hickory 20 " " "
78.97 Intersect N. Boundary 340 lbs. W. of post-
ed post at intersection cor. of sec. 3 & 4 from which
a W. Oak 24 in. diam. N 15 E 13 lbs. dist. 3
a Hickory 20 " " " S 55 W 23 " "
Land level 2. rate, timber Oak & Hickory, Upr.
Hickory, Oak & Saplings

South between Sec. 2 & 3

Beginning at a post which I established 80 Chs.
E. of the intersection of the Town line between
Sec. 3 & 4 - from which
a Honey Locust 30 in. diam. East 42 lbs. dist. 3
an Elm 24 " " " West 16 " "
22.15 a Sugar 30 in. diam.
38.97 Set of sec. post from which
a Hackberry 24 in. diam. N 30 E 15 lbs. dist. 3
a Buckeye 10 " " " South 6 " "
44.40 a Hackberry 6 " "
55.90 Set post on right bank of Wabash R. from which
a Hackberry 4 in. diam. N 57 E 6 lbs. dist. 3
a Do 18 " " " S 87 W 30 " "
Land level 1. rate, timber Buckeye, Hackberry
& Sugar, Upr. Buckeye, Pawpaw &

West between Sec. 8 & 17

17.95 an Elm 30 in. diam.
40.00 Set of sec. post from which
a W. Oak 30 in. diam. S 57 E 60 lbs. dist. 3
a Do 32 " " " N 67 W 65 " "
46.86 a Do 18 " "
52.00 enter Prairie
67.40 Set post on left bank of Tippecanoe R. from which
a Hackberry 6 in. diam. N 66 E 36 lbs. dist. 3
a Sycamore 40 " " " S 13 E 25 " "

T. 24 N., R. 3 W. 2. Mer. Ind.^a
 Cbr. Sh.

(Description of land &c. omitted)

West between Sec. 7 & 18

21.42 Interest Bennetts Reserve line

40.00 lot of sec. part in Prairie where raised Mound
 (no Bearing trees)

85.43 Interest W. Boundary 224th S. of part -
 set part at intersection cor. of sec. 7 & 18 & raised a
 Mound (No Bearing trees)
 September 24. 1828

North between Sec. 7 & 8

The sec. cor. is in Bennetts Reserve

18.00 Interest Reserve line 38.10 from the North corner
 thereof, set part from which

a B. Ash 12 in. diameter S 82 E 45th N. dist. 8

a Willow 3 " " " N 48 W 16 " "

26.82 a B. Oak 24 " "

27.50 Swamp Prairie

40.00 lot of sec. part in S. Prairie (no Bearing trees)

46.50 leave S. Prairie

60.00 a B. Oak 24 in. dia.

69.42 a W. Oak 20 " "

80.00 set part cor. of sec. 5, 6, 7 & 8 from which

a W. Oak 24 in. diameter S 28 W 59th N. dist. 8

a Do 40 " " " N 6 W 78 " "

Land a little rolling, timber Oaks & Hickory,
 no Upr. Prairie wet, land 2. rate

East on Random between Sec. 5 & 8

18.25 a Stream 20th N. wide corner S

40.00 lot temp. of sec. part

79.94 Interest N. S. line 95th N. of part -

Land level 2. rate, timber Oaks & Hickory, open
 woods

T. 24 N., R. 3 W. 2. Sec. Ind.^a
 Chr. Lts.

West Connected between Sec. 5 & 8

39.97 let g. sec. part at avor. dist. from which
 a Hickory 8 in. diameter S 37° W 26 lbs. dist. 8
 a Do 8 " " " N 25° W 12 " " "

79.94 to sec. cor.

West between Sec. 6 & 7

9.32 a W. Oak 10 in. dia.

10.00 enter Prairie

40.00 let g. sec. part from which

a B. Walnut 8 in. diameter N 35° W 122 lbs. dist. 8

a Cherry 6 " " " N 59° E 82 " " "

the post stands in edge of Prairie

65.00 leave Prairie

66.22 a B. Oak 30 in. dia.

86.28 Intersect N. Boundary 130 lbs. S. of post -

let part at intersection cor. of sec. 6 & 7 from which

a W. Oak 48 in. diameter S 41° E 22 lbs. dist. 8

a Do 48 " " " N 27° W 50 " " "

Land level 2. rate, timber Oak, Elm & Hickory
 Prairie 7. rate

North between Sec. 5 & 6

25.91 a W. Oak 20 in. dia.

40.00 let g. sec. part from which

a W. Oak 30 in. diameter N 61° W 124 lbs. dist. 8

a Do 24 " " " N 27° E 68 " " "

60.00 enter barreny Prairie

79.93 Intersect N. Boundary 336 lbs. N. of post -

let part at intersection cor. of sec. 5 & 6 & raised a
 Mound - (No Bearing trees)

Land a little rolling 2. rate, timber Oak & Hickory
 no Upr.

North between Sec. 4 & 5

7.00 a Spring. course S E

T. 24 N., R. 37 W. 2. Mer. Ind. a.
Chs. 30.

7.50 set post on right bank of Tippucanoe R. from which
a Sugar 3 in. diam. bears N 64 W 3 1/2 Ms. dist. 8
a Do 4 " " " N 29 W 3 " "

11.50 Island

14.00 over Is

18.21 set post on left bank of Tippucanoe R. from which
a B. Walnut 10 in. diam. bears S 46 W 58 Ms. dist.
no other Bearing tree

29.91 a B. Oak 30 in. dia.

40.00 set g. sec. post from which
a W. Oak 22 in. diam. bears S 55 W 34 Ms. dist. 8
a Bur Oak 20 " " " N 6 42 " "

56.31 a W. Oak 30 " "

58.87 set post on left bank of Tippucanoe R. from which
a W. Oak 24 in. diam. bears S 4 E 16 Ms. dist. 8
a Do 13 " " " N 47 W 14 " "

72.50 set post on right bank of Tip. River from which
a Sycamore 18 in. diam. bears N 51 E 30 Ms. dist. 8
a Do 18 " " " N 44 E 30 " "

79.00 Entered N. Boundary 361 Ms. N. of post -
set post at intersection cor. of Sec. 4 & 5 from which
a Hickory 10 in. diam. bears S 70 E 32 Ms. dist. 8
a B. Oak 12 " " " N 47 W 37 " "
Land level 2. water, with scattering Oak timber
Wgs. Hazel & Sapasaps

North between Sec. 1 & 2

Set post on right bank of Wabash R. from which
a Buckeye 8 in. diam. bears S 65 W 47 Ms. dist. 8
a Plum tree 4 " " " N 35 E 8 " "

8.75 a Buckeye 10 " "

14.44 Entered line of Bennett's Reserve 15.81 Chs. from
cor. of said Reserve on the Wabash River, set post
from which
a Buckeye 5 in. diam. bears S 62 E 38 Ms. dist. 8
a Do 6 " " " N 84 W 29 " "

T. 24 N., R. 3 W. 2. Mer. Ind. a.

(Description of land &c. omitted)

Meanders of Tippecanoe River. Right bank
up stream. Beginning at post on Bennetts
Reserve line, thence

Courses	Dist. Chs. Chs.	Remarks
N 75 E	2.73	In Sec. 8 — a stream 50 yds. wide, SE
N 61 E	1.45	
N 68 E	1.43	
N 76 E	3.75	
N 82 E	10.17	at 8.00 Chs. upper end of Island
N 86 E	3.57	lower end of Bayou
N 81 E	19.75	at 2.50 Chs. upper end of do (somewhere on this line crop line betw. Sec. 8 & 9)
N 78 E	9.16	In Sec. 9
N 69 E	3.83	lower end of Island
N 57 E	3.31	
N 38 E	3.98	at 8.00 Chs. upper end of Island
N 35 E	17.39	
N 10 E	3.58	
N 20 W	9.46	
N 37 W	3.34	
N 49 W	2.78	
N 66 W	6.00	
N 62 W	2.70	
N 51 W	9.00	
N 12	8.16	to post in line between Sec. 4 & 9
N 36 W	1.83	In Sec. 4
N 39 W	1.53	
N 48 W	2.92	
N 53 W	2.94	at 2.25 Chs. a Spring & lower end of Island
N 68 W	2.68	to post in line between Sec. 4 & 5 & upper end of Island.

T. 24 N., R. 37 W. 2. Mer. Ind.?

Course Ebr. Ebr.

Remarks

N62W	1.25	In Sec. 5
N59W	16.44	
N66W	3.61	
N44W	7.06	
N81W	1.95	
N75W	1.65	
N58W	3.34	at 2.50 Ebr. lower end of Island
N51W	3.61	
N45W	3.24	
N36W	1.59	
N22W	2.00	
N15W	6.75	
N5W	6.46	at 5.00 Ebr. upper end of Island
North	8.44	
N11E	2.31	
N14E	11.69	
N18E	2.29	
N10E	5.28	
N20E	6.73	
N12E	2.94	to port in N. Boundary

Left bank down stream. Beginning
at port in N. Boundary, thence:

S69W	1.17	In Sec. 5
S55W	1.98	
S43W	2.24	
S35W	2.52	
S20W	5.24	
S17W	4.94	
S12W	6.10	
S2W	3.00	at 2.50 Ebr. upper end of Island
S19E	5.90	
S6E	6.84	
S2E	8.44	at 4.00 Ebr. lower end of Island
S14E	3.00	
S22E	4.36	

T. 24 N., R. 37 W. T. Mer. Ind. ^a

Comer	Elev. Ch.	Remarks
S51E	4.00	
S71E	3.50	
S82E	8.83	at 6.00 Elev. upper end of Island
S76E	3.15	
S84E	3.25	
S75E	2.17	
S63E	1.97	
S56E	2.72	
S48E	2.30	to port in line between Sec. 4 & 5
S46E	3.00	In Sec. 4
S34E	3.00	at 1.00 Elev. lower end of Island
S42E	8.98	
S38E	2.41	
S32E	5.25	
S44E	1.34	to port in line between Sec. 4 & 9
S21E	2.41	In Sec. 9
S35E	3.43	
S45E	2.82	
S37E	4.50	
S70E	4.50	
S50E	4.00	
S32E	4.00	
S19E	3.00	
S6E	2.37	
South	3.94	
S12W	9.16	at 3.00 Elev. upper end of Island
S22W	3.42	
S46W	8.00	
S45W	11.00	
S51W	3.20	
S73W	3.74	
S68W	2.46	at 2.00 Elev. lower end of Island
West	4.50	
N86W	2.13	to port in line between Sec. 8 & 9

T. 24 N., R. 3 W. 2. Mer. Ind. a.

Crosses Ebr. Lbr.

Remarks.

N 84 W	5.77	In Sec. 8
N 80 W	2.39	
N 76 W	1.22	
N 73 W	2.91	
N 62 W	3.25	
N 65 W	5.00	at 2.00 Ebr. upper end of Island
N 77 W	2.63	
N 89 W	1.75	
S 82 W	2.00	
S 85 W	3.40	at 3.00 Ebr. lower end of Island
S 74 W	6.50	
S 83 W	3.00	
S 70 W	4.50	
S 58 W	6.50	
S 50 W	3.88	at 50 lbs. upper end of Island
S 47 W	2.75	
S 44 W	3.61	at 2.50 Ebr. an Indian trail
S 59 W	3.50	
S 50 W	1.67	lower end of Island
S 38 W	5.65	at 4.50 Ebr. upper end of Island
S 30 W	3.25	
S 44 W	2.30	to port in line between Sec. 8 & 17 & lower end of Island
<hr/>		
S 16 W	3.69	In Sec. 17 - at 1.50 Ebr. upper end of Island
S 3 W	5.00	
S 13 E	5.00	
S 27 E	3.00	
S 60 E	1.00	
S 32 E	4.33	
S 11 E	1.80	
S 30 E	2.69	
S 28 E	1.78	
S 24 E	3.00	
S 18 E	2.21	
S 2 E	1.00	September 26. 1828

T. 24 N., R. 3 W. 2. Mer. Ind. a.

Course	Elev. Ets.	Remarks.
S10E	6.20	
S4E	4.47	
S87W	3.72	
S37W	1.78	
S45W	2.25	lower end of Island
S40W	1.00	
S60W	8.48	
S82W	2.15	
S33W	2.00	
S15E	3.50	
South	4.97	
S15E	1.82	upper end of Island
S29W	7.50	at 7.00 Ets. lower end of Is.
S10W	2.80	
South	3.13	
S34E	2.69	
S45E	3.50	
S72E	5.37	
N81E	3.00	
East	1.37	
S78E	1.42	
S72E	2.00	
S36E	2.50	Intersect the Wabash R. at the mouth of Tippicanoe River.

Meanders of Wabash River.
Beginning at the mouth of Tippicanoe R.
thence right bank up stream

N55E	21.86	In Sec. 17
N44E	2.00	
N51E	5.74	
N46E	4.86	
N50E	8.86	
N60E	5.00	
N57E	4.20	
N43E	3.34	

T. 24 N., R. 3 W. 2. Mer. Ind. a

Courses	Chrs. Chrs.	Remarks.
N48E	4.21	
N52E	2.30	to port in line between Sec. 16 & 17
N43E	2.00	In Sec. 16
N52E	1.31	
N46E	2.27	
N58E	1.24	
N67E	1.74	
N60E	3.60	
N69E	3.70	
N60E	10.50	
N68E	3.24	
N64E	2.50	
N58E	16.81	
N76E	3.46	
N70E	15.50	
N55E	8.75	
N30E	1.92	
N24E	6.00	
N8E	0.98	to port in line between Sec. 9 & 16
N8E	12.82	In Sec. 9
N10E	10.79	
N10E	2.44	
N20E	7.00	
N30E	2.45	to port in line between Sec. 9 & 10
N39E	9.90	In Sec. 10
N42E	10.97	
N35E	7.50	
N40E	10.12	
N45E	13.50	
N13E	1.50	
N31E	11.33	to port in line between Sec. 3 & 10
N31E	5.50	In Sec. 3

T. 24 N., R. 37 W. 2.^d Mer. Ind.^a

Courses	Chrs.	Remarks.
N 39 E	2.74	
N 56 E	5.92	
N 48 E	6.00	
N 60 E	4.74	
N 68 E	2.64	
N 64 E	4.50	
N 71 E	5.36	
N 83 E	2.25	
N 87 E	2.75	
N 84 E	4.93	Cabin on the bank of the Wabash R.
S 81 E	6.78	to port in line between Sec. 2 & 3
<hr/>		
Eart	8.63	In Sec. 2
S 77 E	14.15	at 10.00 Chrs. Cabin 4.
S 62 E	18.73	" 18.00 " lower end of Island
Eart	2.25	
N 78 E	16.92	upper end of Island
N 64 E	3.46	
N 76 E	2.45	
N 64 E	14.00	
N 73 E	2.64	
N 56 E	2.58	to port in line between Sec. 1 & 2
<hr/>		
N 57 E	5.95	In Sec. 1
N 67 E	3.95	
N 63 E	4.80	
N 68 E	1.50	Intersect Burnetts Reserve at port September 27. 1828
<hr/>		
Meanders of Tipton canoe River. Commencing at port on Burnetts Re- serve thence up stream on right bank		
N 70 E	5.61	In Sec. 8 - at 2.73 Chrs. a Stream 50 W. wide
N 76 E	3.75	
N 82 E	10.20	at 8.10 Chrs. upper end of Island
N 85 E	4.00	lower end of Island at 3.50 Chrs.

T. 24 N., R. 37 W. 2^d Mer. Ind. a

Counis Cht. Sta

Remarks

N80E 17.21 to post in line between Sect. 8 & 9 and
at 2.50 upper end of Island.

Meanders of the bend of Tippecanoe River.
Commencing at post in N. Boundary of Sec. 5
thence right bank up stream:

S31E 9.14 In Sec. 5 - to post in line between Sect. 4 & 5

S41E 11.43 In Sec. 4

S18E 4.46

S34E 6.86

S32E 8.13

S69E 3.39 lower end of Island

N80E 1.21

N60E 1.81

N52E 5.44

N71E 8.14 at 7.00 Cht. upper end of Island

N35E 2.78

N18E 4.52

N87W 2.90

N17W 10.38

N38W 6.83

N46W 4.25 to post in N. Boundary of Sec. 4

Left bank down stream. Commencing
at post in N. Boundary of Sec. 4

S43E 5.65 In Sec. 4

S90E 5.92

S14E 10.83

S87W 3.00

S20W 3.39

S34W 3.72

S48W 5.39

S60W 8.70 at 3.50 Cht. upper end of Island

S70W 4.05

S80W 2.90 lower end of Island

T. 24 N., R. 3 W. 2. Mer. Ind. a.

Courses etc. etc.

Remarks

N 85° W 4.31

N 69° W 3.29

N 62° W 4.47

N 42° W 3.86

N 33° W 7.14

N 38° W 4.18

N 26° W 3.00 to port in line between Sec. 4 & 5

N 26° W 1.15 In Sec. 5

N 13° W 4.17

N 24° W 4.50

N 27° W 5.15

N 33° W 5.60

N 38° W 4.18 to port in N. Boundary of Sec. 5

Pursuant to a contract dated 15th day of August 1828 and instructions from Edward Tiffin Surgeon General of the United States, I have surveyed and subdivided into sections the above Township in the State of Indiana, described in said contract, and I certify that the foregoing are correct and true Field Notes of the lines which they purport to be, as a part of said contract.

Certified this 31st day of March 1829

David Willis, Dep. Sur.

I certify that the foregoing transcript of Field Notes of the survey of Township N. 24 North, in Range N. 3 West of the 2^d Principal Meridian, in the State of Indiana, has been compared with the original on file in this office, and found to be correct.

Surgeon General's Office,
Cincinnati, Oct. 10. 1842

William Johnston
Sur. Genl.